

*Visit*

**FREETESTPAPER.com**

*for more papers*



Website: [freetestpaper.com](http://www.freetestpaper.com)



[Facebook.com/freetestpaper](https://www.facebook.com/freetestpaper)



[Twitter.com/freetestpaper](https://www.twitter.com/freetestpaper)



## Geylang Methodist School (Secondary) Mid-Year Examination 2017

**SCIENCE (Physics/Chemistry)**

**5076/01**

Paper 1

**Sec 3 Express**

Additional materials : OAS

**45 minutes**

**Setter :** Mr Yip Cheng Hou

**12 May 2017**

### **READ THESE INSTRUCTIONS FIRST**

Write your name, index number and class on all the work you hand in.  
Do not use staples, paper clips, highlighters, glue or correction fluid.

**Do not open this booklet until you are told to do so.**

Answer **all** questions. Shade your answers on the OAS provided.

At the end of the examination, submit the OAS and the question paper separately.

### **INFORMATION FOR CANDIDATES**

Each correct answer will score one mark.


Any rough work should be done in this booklet.

**Gravitational field strength is assumed to be 10 N/kg and acceleration due to gravity,  $g$ , is assumed to be 10 m/s<sup>2</sup>, unless otherwise specified.**

- 1 The gravitational field strength on Earth is around 10 N/kg.


Which of the following is the definition for gravitational field strength?

- A** It is the amount of gravitational force acting on every kilogram of object.  
**B** It is the strength of gravity acting on every kilogram of object.  
**C** It is the mass of every kilogram of object that experiences gravity on Earth.  
**D** It is the weight of every kilogram of object due to the gravity on Earth.
- 2 The diagram shows a measurement using a micrometer screw gauge.



What is the measurement made?

- A** 5.48 mm      **B** 5.68 mm      **C** 7.48 mm      **D** 7.98 mm
- 3 What reading is shown on the vernier calipers below?




- A** 5.0 mm      **B** 5.1 mm      **C** 6.0 mm      **D** 7.5 mm
- 4 A simple pendulum carries a 100 g bob. It takes 16 s to complete 20 swings.

How long does another pendulum of the same length, but carries a 200 g bob, take to complete 1 swing?

- A** 0.4 s      **B** 0.8 s      **C** 1.25 s      **D** 1.6 s

- 5 The graph shows the progress of four athletes, A,B,C,D in a 100 m race.



Who is the fastest athlete who won the race?


- 6 A car's speed changes uniformly from  $20 \text{ ms}^{-1}$  to  $0 \text{ ms}^{-1}$  in a time interval of 2.0 s.

What is the car's acceleration?

- A**  $-10 \text{ ms}^{-2}$       **B**  $-20 \text{ ms}^{-2}$       **C**  $10 \text{ ms}^{-2}$       **D**  $20 \text{ ms}^{-2}$




- 11 The diagram below shows a uniform beam which is balanced horizontally at its mid-point by two objects  $P$  and  $Q$ . Object  $P$  weighs 20 N and is placed 30 cm from the pivot.



Which of the following are possible values for the weight of object  $Q$  and distance  $d$  from the pivot?

	Weight of object $Q$ / N	$d$ / cm
A	20	20
B	30	20
C	30	30
D	40	30


- 12 The figure below shows a stick of *negligible mass* pivoted at E under the action of two vertical forces, an upward force of 2 N acting at I and a downward force of 1 N acting at G.




Under which of the following conditions will the stick be in equilibrium?

- A Apply an upward 2 N force at G.
- B Apply a downward 2 N force at F.
- C Apply a downward 2 N force at H.
- D Apply a downward 2 N force at I.


- 13 Four spheres of identical volume but different masses are to be fitted into a tall glass cylinder as shown. The mass of the spheres are 1.0 kg, 2.0 kg, 5.0 kg and 15 kg.



Which one of the following setups has the lowest stability?



- 14 The diagram shows a cyclist pedalling up a hill and rolling downhill.



At which position does the cyclist have the least kinetic energy and gravitational potential energy?

- 15 The efficiency of an electrical generator is 65 %.

Which useful output can be expected if the energy input to the generator is 12 kJ?

- A 4.2 kJ                      B 7.8 kJ                      C 18.5 kJ                      D 34.3 kJ



## Geylang Methodist School (Secondary) Mid-Year Examination 2017

Candidate Name			
Class		Index Number	

**SCIENCE (PHYSICS)**

**5076/02**

Paper 2

**Sec 3 Express**

Additional materials : Writing Papers

**1 hour**

**Setter :** Mr Yip Cheng Hou

**08 May 2017**

**READ THESE INSTRUCTIONS FIRST**

Write your name, index number and class on all the work you hand in.  
Write in dark blue or black pen on both sides of the paper.  
Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your answers to **Section A** and **Section B** in the spaces provided on the question paper.

Candidates are reminded that all quantitative answers should include appropriate units. You are advised to show all your working in a clear, orderly manner.

**Gravitational field strength is assumed to be 10 N/kg and acceleration due to gravity,  $g$ , is assumed to be 10 m/s<sup>2</sup>, unless otherwise specified.**

For Examiner's Use	
<b>Section A</b>	/ 35
<b>Section B</b>	/ 20
<b>Total</b>	/ 55

## SECTION A

Answer **ALL** questions in this section in the spaces provided.

- 1(a) Water is poured into the measuring cylinder shown in Fig. 1.1.




Fig. 1.1


- (i) Estimate the volume of water using Fig. 1.1.

volume = ..... [1]

- (ii) **On the enlarged part of Fig. 1.1**, draw the level of water when another  $25 \text{ cm}^3$  of water has been added to the measuring cylinder. [1]

- 1(b) A student carries out an experiment to find the density of water, using a method that is slightly different from normal. In his method, he starts with a measuring cylinder containing some water, and then adds more water to that already in the measuring cylinder. His experiment is illustrated in Fig. 1.2.

3



GMS(S)/Sc(Phy)/P2/MYE/2017/3E




Fig. 1.2

The readings he obtains are as follows:

reading 1:  $53 \text{ cm}^3$

reading 2:  $84 \text{ cm}^3$

reading 3: 205 g

reading 4: 238 g

Calculate

(i) the volume of the added water,

volume = ..... [1]


(ii) the mass of the added water,

mass = ..... [1]

(iii) the density of water in  $\text{kg} / \text{m}^3$ ,

density = ..... [3]

- 2 The graph below shows the speed of a car changing with time.



- (a) Describe the motion of the car during the first 10 s.

.....[1]

- (b) Calculate the acceleration the car from time = 10 s to time = 20 s.

acceleration = ..... [2]

- (c) At point C, the car started to decelerate uniformly until it was brought to a stop 10 seconds later. Complete the graph above to show this last part of the motion of the car. [1]

- (d) Calculate the distance travelled by the car from time = 30 s to time = 40 s.

distance = ..... [2]

- 3 Fig. 3.1 shows four forces acting on an object.




Fig. 3.1

- (a) Draw a labelled vector diagram to scale to determine the magnitude and direction of the resultant force acting on the object.

scale = .....

magnitude = .....

direction = ..... [4]

- (b) State the effect of the four forces on the motion of the object.

.....  
 ..... [2]

- 4 Fig 4.1 shows a lamina suspended from a hole on one corner at A. The mass of the metal is 20 g and the centre of gravity is at B. The diagram is drawn full scale.




Fig. 4.1

- (a) Explain what is meant by the *centre of gravity* is at B.

.....  
 .....[1]

- (b) The lamina turns because of the moment of the weight about point A. State what is meant by the *moment* of the weight and how is it calculated.

.....  
 .....  
 .....[2]

- (c) Using a measurement taken from Fig 4.1, calculate the moment of the weight about point A. On Fig 4.1, indicate the measurement that you make.

moment = ..... [3]

- (d) The lamina in Fig 4.1 swings freely and comes to rest. In the space below, sketch a diagram of the lamina in its final rest position. Mark the points A and B on your diagram. [1]

(e) Explain why the lamina remains at rest in this position?

.....  
.....[2]



(f) When the lamina is placed on a table, state the type of equilibrium of the lamina. Explain why the lamina remains at rest in this position?

.....[1]

(g) State three reasons to explain your answer in (f).

.....  
.....  
.....  
.....[3]

- 5 A ball originally at position **A** is raised to position **B**.



**Fig. 5.1**

- (a) Assuming no loss of energy to the environment, what type of energy is gained by the ball?

.....[1]

- (b) The ball is released and falls. After one bounce, the ball rises only to the height of point **C**. Explain why the height is lower in terms of energy conversion involved from **B** to **C**.


.....  
 .....  
 .....  
 .....[2]

**End of Section A**

**SECTION B**

Answer **all** the questions in this section in the spaces provided.

- 7 A hovercraft moves on a cushion of air which is underneath it, as shown in the figure below. The cushion of air enables the body to “float” from the ground. The mass of the body is 25 000 kg.



- (a) Calculate the upward force that is needed for the body to “float”.

upward force = ..... [2]

- (b) The hovercraft starts moving horizontally from rest and reaches a speed of 3 m/s in 5.0 s. Calculate the average acceleration of the hovercraft.

average acceleration = ..... [2]

- (c) Determine the resistive forces exerting on the hovercraft if the forward force exerted by the propellers is 18 000 N.

resistive forces = ..... [3]

(d) The pressure exerted by the hovercraft when it is resting on the ground is 31250 Pa.


(i) Explain what is meant by *pressure exerted*.

.....[1]

(ii) Calculate the base area of the hovercraft.

base area = ..... [2]

8 A 60 kg man climbs up a flight of steps to reach a spring board which is 6 m above the water surface in a swimming pool.



(a) State the Principle of Conservation of Energy.

.....  
 .....[1]

(b) If the man takes 12 s to reach the spring board,

(i) calculate the power developed by him and;

power = ..... [2]

- (ii) explain what is meant by the *power developed by him*.

.....[1]

- (c) The man then jumps up into the air to reach a height of 8 m above the water surface and then falls into the water.

- (i) Calculate the kinetic energy of the man as he reaches the water.

kinetic energy = ..... [2]

- (ii) Calculate the speed at which the man reaches the water.

speed = ..... [2]

- (iii) State whether the actual speed will be greater, equal or less than the calculated value in (ii). Explain why.

.....

.....[2]

**END OF PAPER**

**BLANK PAGE**



## Geylang Methodist School (Secondary) Mid-Year Examination 2017

**SCIENCE (Physics/Chemistry)**

**5076/01**

Paper 1

**Sec 3 Express**

Additional materials : OAS

**45 minutes**

**Setter :** Mr Yip Cheng Hou

**12 May 2017**

### **READ THESE INSTRUCTIONS FIRST**

Write your name, index number and class on all the work you hand in.  
Do not use staples, paper clips, highlighters, glue or correction fluid.

**Do not open this booklet until you are told to do so.**

Answer **all** questions. Shade your answers on the OAS provided.

At the end of the examination, submit the OAS and the question paper separately.

### **INFORMATION FOR CANDIDATES**

Each correct answer will score one mark.

Any rough work should be done in this booklet.

**Gravitational field strength is assumed to be 10 N/kg and acceleration due to gravity,  $g$ , is assumed to be 10 m/s<sup>2</sup>, unless otherwise specified.**

---

This document consists of 6 printed pages.


**[Turn over**

- 1 The gravitational field strength on Earth is around 10 N/kg.

Which of the following is the definition for gravitational field strength?


- A** It is the amount of gravitational force acting on every kilogram of object.  
**B** It is the strength of gravity acting on every kilogram of object.  
**C** It is the mass of every kilogram of object that experiences gravity on Earth.  
**D** It is the weight of every kilogram of object due to the gravity on Earth.

- 2 The diagram shows a measurement using a micrometer screw gauge.




What is the measurement made?

- A** 5.48 mm      **B** 5.68 mm      **C** 7.48 mm      **D** 7.98 mm
- 3 What reading is shown on the vernier calipers below?



- A** 5.0 mm      **B** 5.1 mm      **C** 6.0 mm      **D** 7.5 mm
- 4 A simple pendulum carries a 100 g bob. It takes 16 s to complete 20 swings.
- How long does another pendulum of the same length, but carries a 200 g bob, take to complete 1 swing?
- A** 0.4 s      **B** 0.8 s      **C** 1.25 s      **D** 1.6 s

- 5 The graph shows the progress of four athletes, A,B,C,D in a 100 m race.



Who is the fastest athlete who won the race?


A car's speed changes uniformly from  $20 \text{ ms}^{-1}$  to  $0 \text{ ms}^{-1}$  in a time interval of 2.0 s.

What is the car's acceleration?

- A**  $10 \text{ ms}^{-2}$       **B**  $-20 \text{ ms}^{-2}$       **C**  $10 \text{ ms}^{-2}$       **D**  $20 \text{ ms}^{-2}$


Refer to the situation below to answer questions 7 and 8.

A force  $F$  acting on an object which is placed on a rough surface as shown in the diagram.




- 7 Why does the object remain stationary?
- A There is no friction between the object and the surface.
  - B The pushing force  $F$  is smaller than the frictional force.
  - C The pushing force  $F$  is equal to the frictional force.**
  - D The inertia of the object is too great.
- 8 Why does the object move with a constant speed?
- A There is no friction between the object and the surface.
  - B The pushing force  $F$  is smaller than the frictional force.
  - C The pushing force  $F$  is equal to the frictional force.**
  - D The inertia of the object is too great.

9



Which of the following statements is correct?


- A The volume of W is the largest.
  - B The density of X is the smallest.
  - C The density of Y is the same as Z.**
  - D The mass of W is the same as Y.
- 10 A box has an internal volume of  $1000 \text{ cm}^3$ . When a solid object is placed in the box, the volume of air in the box is  $520 \text{ cm}^3$ . The density of the object is  $8.00 \text{ g/cm}^3$



What is the mass of the object?

- A 60.0 g
- B 3840 g**
- C 4160 g
- D 8000 g


- 11 The diagram below shows a uniform beam which is balanced horizontally at its mid-point by two objects  $P$  and  $Q$ . Object  $P$  weighs 20 N and is placed 30 cm from the pivot.



Which of the following are possible values for the weight of object  $Q$  and distance  $d$  from the pivot?

	Weight of object $Q$ / N	$d$ / cm
A	20	20
B	30	20
C	30	30
D	40	30


- 12 The figure below shows a stick of *negligible mass* pivoted at E under the action of two vertical forces, an upward force of 2 N acting at I and a downward force of 1 N acting at G.




Under which of the following conditions will the stick be in equilibrium?

- A Apply an upward 2 N force at G.
- B Apply a downward 2 N force at F.
- C Apply a downward 2 N force at H.
- D Apply a downward 2 N force at I.


- 13 Four spheres of identical volume but different masses are to be fitted into a tall glass cylinder as shown. The mass of the spheres are 1.0 kg, 2.0 kg, 5.0 kg and 15 kg.



Which one of the following setups has the lowest stability?



- 14 The diagram shows a cyclist pedalling up a hill and rolling downhill.



At which position does the cyclist have the least kinetic energy and gravitational potential energy?

- 15 The efficiency of an electrical generator is 65 %.

Which useful output can be expected if the energy input to the generator is 12 kJ?

- A 4.2 kJ      B 7.8 kJ      C 18.5 kJ      D 34.3 kJ



## Geylang Methodist School (Secondary) Mid-Year Examination 2017

Candidate Name	ANSWERS		
Class		Index Number	

**SCIENCE (PHYSICS)**

**5076/02**

Paper 2

**Sec 3 Express**

Additional materials : Writing Papers

**1 hour**

**Setter :** Mr Yip Cheng Hou

**08 May 2017**

Write your name, index number and class on all the work you hand in.  
Write in dark blue or black pen on both sides of the paper.  
Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your answers to **Section A** and **Section B** in the spaces provided on the question paper.

Candidates are reminded that all quantitative answers should include appropriate units. You are advised to show all your working in a clear, orderly manner.

**Gravitational field strength is assumed to be 10 N/kg and acceleration due to gravity,  $g$ , is assumed to be 10 m/s<sup>2</sup>, unless otherwise specified.**

For Examiner's Use	
<b>Section A</b>	/ 35
<b>Section B</b>	/ 20
<b>Total</b>	/ 55

## SECTION A

Answer **ALL** questions in this section in the spaces provided.

- 1(a) Water is poured into the measuring cylinder shown in Fig. 1.1.




Fig. 1.1

- (i) Estimate the volume of water using Fig. 1.1.

volume = .....15 cm<sup>3</sup>..... [1]

- (ii) **On the enlarged part of Fig. 1.1**, draw the level of water when another 25 cm<sup>3</sup> of water has been added to the measuring cylinder. **40 cm<sup>3</sup>** [1]

- 1(b) A student carries out an experiment to find the density of water, using a method that is slightly different from normal. In his method, he starts with a measuring cylinder containing some water, and then adds more water to that already in the measuring cylinder. His experiment is illustrated in Fig. 1.2.




Fig. 1.2

The readings he obtains are as follows:

reading 1:  $53 \text{ cm}^3$

reading 2:  $84 \text{ cm}^3$

reading 3:  $205 \text{ g}$

reading 4:  $238 \text{ g}$

the volume of the added water,

$$84 - 53 = 31 \text{ cm}^3$$

volume = ..... [1]

(ii) the mass of the added water,

$$238 - 205 = 33 \text{ g}$$


mass = ..... [1]

(iii) the density of water in  $\text{kg} / \text{m}^3$ ,

$$\begin{aligned} \rho &= m / v \\ &= 33 \text{ g} / 31 \text{ cm}^3 & (1) \\ &= 1.06 \text{ g} / \text{cm}^3 & (1) \\ &= 1060 \text{ kg} / \text{m}^3 & (1) \end{aligned}$$

density = ..... [3]

- 2 The graph below shows the speed of a car changing with time.



- (a) Describe the motion of the car during the first 10 s.

The car is moving with an increasing ( $\frac{1}{2}$ ) acceleration ( $\frac{1}{2}$ ).

.....[1]

- (b) Calculate the acceleration the car from time = 10 s to time = 20 s.

$$\begin{aligned} a &= (v - u) / t \\ &= (30 - 15) / 10 \quad (1) \\ &= 1.5 \text{ m/s}^2 \quad (1) \end{aligned}$$

acceleration = ..... [2]

- (c) At point C, the car started to decelerate uniformly until it was brought to a stop 10 seconds later. Complete the graph above to show this last part of the motion of the car. [1]

- (d) Calculate the distance travelled by the car from time = 30 s to time = 40 s.

$$\begin{aligned} d &= \text{area under graph} \\ &= \frac{1}{2} \times 10 \times 30 \quad (1) \\ &= 150 \text{ m} \quad (1) \end{aligned}$$

distance = ..... [2]

3 Fig. 3.1 shows four forces acting on an object.





Fig. 3.1

(a) Draw a labelled vector diagram to scale to determine the magnitude and direction of the resultant force acting on the object.



scale = ...1 cm : 1 N.....

magnitude = ...9.9 N (8.9 ~ 10.9)....

direction = 24° from 9 N or 66° from 4 N [4]

(b) State the effect of the four forces on the motion of the object.  
**They will accelerate (1) the object in the direction of the resultant**

.....  
 force (1)

.....[2]

- 4 Fig 4.1 shows a lamina suspended from a hole on one corner at A. The mass of the metal is 20 g and the centre of gravity is at B. The diagram is drawn full scale.





Fig. 4.1

- (a) Explain what is meant by the *centre of gravity* is at B.  
**B is the point where the whole weight of the lamina appears to act through.**  
 .....[1]
- (b) The lamina turns because of the moment of the weight about point A. State what is meant by the *moment* of the weight and how is it calculated.  
**It is the turning effect caused by the weight (1). It is calculated by the product of the weight of lamina and the perpendicular distance d as indicated on Fig. 4.1**  
 .....[2]
- (c) Using a measurement taken from Fig 4.1, calculate the moment of the weight about point A. On Fig 4.1, indicate the measurement that you make.  
**Moment = (20/1000)kg x 10 N/kg x \_\_\_\_ cm = \_\_\_\_\_ N cm**  
 moment = ..... [3]
- (d) The lamina in Fig 4.1 swings freely and comes to rest. In the space below, sketch a diagram of the lamina in its final rest position. Mark the points A and B on your diagram. [1]



- (e) Explain why the lamina remains at rest in this position?  
**The perpendicular distance  $d$  between line of action of the weight and the pivot is zero (1), hence the moment is also zero (1).**  
 .....[2]
- (f) When the lamina is placed on a table, state the type of equilibrium of the lamina. Explain why the lamina remains at rest in this position?  
**Stable equilibrium**  
 .....[1]
- State three reasons to explain your answer in (f).  
**The height of C.G is raised when the lamina is tilted slightly.**  
 .....  
**The line of action of the weight still lies within the base of the lamina.**  
 .....  
**The lamina returns back to its original position after it is released.**  
 .....  
 .....[3]

5 A ball originally at position **A** is raised to position **B**.





Fig. 5.1

(a) Assuming no loss of energy to the environment, what type of energy is gained by the ball?  
**gravitational potential energy.**  
 .....[1]

(b) The ball is released and falls. After one bounce, the ball rises only to the height of point **C**. Explain why the height is lower in terms of energy conversion involved from **B** to **C**.

**Gravitational potential energy from B is converted to kinetic energy at A. However some kinetic energy at A is lost to the surrounding as heat and sound energy (1) so the remaining is converted to gravitational potential energy to reach a lower height at C (1).**


.....  
 .....  
 .....  
 .....[2]

**End of Section A**

**SECTION B**

Answer **all** the questions in this section in the spaces provided.

- 7 A hovercraft moves on a cushion of air which is underneath it, as shown in the figure below. The cushion of air enables the body to “float” from the ground. The mass of the body is 25 000 kg.



- (a) Calculate the upward force that is needed for the body to “float”.

$$\begin{aligned} \text{Upward force} &= \text{Downward force} \\ &= 25\,000 \text{ kg} \times 10 \text{ N/kg} \\ &= 250\,000 \text{ N} \end{aligned}$$

upward force = ..... [2]

- (b) The hovercraft starts moving horizontally from rest and reaches a speed of 3 m/s in 5.0 s. Calculate the average acceleration of the hovercraft.

$$\begin{aligned} a &= (v - u) / t \\ &= (3 - 0) / 5 \\ &= 0.6 \text{ m/s}^2 \end{aligned} \quad (1)$$

average acceleration = ..... [2]

- (c) Determine the resistive forces exerting on the hovercraft if the forward force exerted by the propellers is 18 000 N.

$$\begin{aligned} \text{Resultant force, } F &= m \times a \\ &= 25\,000 \times 0.6 \quad (1) \\ &= 15\,000 \text{ N} \quad (1) \end{aligned}$$

$$\begin{aligned} \text{Resultant force} &= \text{Forward force} - \text{Resistive forces} \\ 15\,000 \text{ N} &= 18\,000 - \text{Resistive forces} \\ \text{Resistive forces} &= 18\,000 - 15\,000 \\ &= 3\,000 \text{ N} \quad (1) \end{aligned}$$

resistive forces = ..... [3]

(d) The pressure exerted by the hovercraft when it is resting on the ground is 31250 Pa.


(i) Explain what is meant by *pressure exerted*.  
**It is the amount of force exerted on a unit area.**  
 .....[1]

(ii) Calculate the base area of the hovercraft.

<b>Pressure</b>	<b>= F / A</b>	
<b>31250 Pa</b>	<b>= 250 000 N / A</b>	<b>(1)</b>
<b>Area</b>	<b>= 8 m<sup>2</sup></b>	<b>(1)</b>

base area = ..... [ ]

8 A 60 kg man climbs up a flight of steps to reach a spring board which is 6 m above the water surface in a swimming pool.



(a) State the Principle of Conservation of Energy.

**Energy cannot be created nor destroyed, it can only be converted from one form to another, and the total amount remains constant.(1)**

.....  
 .....[1]

(b) If the man takes 12 s to reach the spring board,

(i) calculate the power developed by him and;

<b>P</b>	<b>= E / t</b>	
	<b>= (60 kg x 10 N/kg x 6 m) / 12 s</b>	<b>(1)</b>
	<b>= 300 W</b>	<b>(1)</b>

power = ..... [2]

- (ii) explain what is meant by the *power developed by him*.

**It means he developed 300 J of energy in every one second.**

.....[1]

- (c) The man then jumps up into the air to reach a height of 8 m above the water surface and then falls into the water.

- (i) Calculate the kinetic energy of the man as he reaches the water.

$$\begin{aligned} \text{Gain in KE} &= \text{Loss in GPE} \\ &= m \times g \times h \\ &= 60 \text{ kg} \times 10 \text{ N/kg} \times 8 \text{ m} \quad (1) \\ & \quad (1) \end{aligned}$$

kinetic energy = ..... [2]

- (ii) Calculate the speed at which the man reaches the water.

$$\begin{aligned} \text{KE} &= \frac{1}{2} \times m \times v^2 \\ 4800 \text{ J} &= \frac{1}{2} \times 60 \text{ kg} \times v^2 \quad (1) \\ v &= 12.6 \text{ m/s} \quad (1) \end{aligned}$$

speed = ..... [2]

- (iii) State whether the actual speed will be greater, equal or less than the calculated value in (ii). Explain why.

**Less (1). Not all the energy is converted from GPE to KE. Some are converted into sound and heat loss to the surrounding. (1)**

.....  
 .....[2]

**END OF PAPER**